T-272

P.004

Apr-22-2003 12:42pm

IN THE CLAIMS

Please enter the following amended claims 6-25 in the application.

Claims 1-5 cancelled

From-Henkel Corporation

(Twice Amended) A polyacrylate jointing compound comprised of:

- (a) 10% to 60% by weight of at least one or more copolymers containing residues of from 85% to 98% by weight of constitutional units provided by at least one actylate and from 2% to 10% by weight of constitutional units provided by residues ef adrylonitrile, wherein the acrylate is an ester of acrylic acid and an alcohol containing 2 to 8 carbon atoms:
- (b) 0.2% to 15% by weight of at least one or more fatty compounds as a plasticizer, and
- (c) 5% to 20 percent by weight of water,
- (d) up to 70% by weight of fillers; and
- (e) 0.3% to 5% by weight of auxiliaries

wherein said polyacrylate jointing compound is in paste form; the percent by weight being based on the weight of the jointing compound.

- 7. (Twice Amended) The polyacrylate jointing compound of claim 6 comprising 40 15% to 60% by weight of the jointing compound of component (a).
- 8. (Twice Amended) The polyacrylate jointing compound of claim 6 comprising $0.2\,1\%$ to 15% 10% by weight of the jointing compound of component (b).
- 9. (Twice Amended) The polyacrylate jointing compound of claim 6 comprising 5 10% to 20% 15% by weight of the jointing compound of water.



SN 09/530,815 Art Unit 1713

Subjection

- 10. (Twice Amended) The polyacrylate jointing compound of claim 6 additionally comprising at least one component selected from the group consisting of fillers and pigments in an amount up to 70% of 20% to 60% by weight of the jointing compound.
- 11. (Twice Amended) The polyacrylate jointing compound of claim 6 additionally comprising 0.3 to 5% 1% to 2.5% by weight of the jointing compound of one or more auxiliaries.
- 12. (Twice Amended) The polyacrylate jointing compound of claim 6 comprising a copolymer of 85 90% to 98% by weight of constitutional units provided by acrylates residues and 2 4% to 40% 8% by weight of constitutional units provided by acrylonitrile residues.
- 16. (Twice Amended) The polyacrylate jointing compound of claim 6 comprising a copolymer comprising constitutional units provided by butyl acrylate residues and acrylenitrile.
- 18. (Amended) An improved method for joining a first substrate to a second substrate having a coefficient of thermal expansion or an elastic behavior which is different from that of the first substrate, the improvement comprising: using the polyacrylate jointing compound of claim 6 to join the first substrate and the second substrate.
- 19. (Twice Amended) A polyacrylate jointing compound comprised of:
 - (a) 10 15% to 60% by weight of one or more copolymers comprising residues of from 85% to 98% by weight of constitutional units provided by at least one acrylate and residues of from 2% to 10% by weight of constitutional units provided by acrylonitrile, wherein the acrylate is an ester of acrylic acid and an alcohol containing 2 to 8 carbon atoms;

SN 09/530,815 Art Unit 1713

(b) 0.2 1% to 15% 10% by weight of at least one or more fatty compounds selected from the group consisting of fatty acids, fatty alcohols and derivatives thereof;

- (c) one or more additional components selected from the group consisting of fillers and pigments, in an amount not greater than 70% of from 20% to 60% by weight.
- (d) $0.3\sqrt{1\%}$ to 5% 2.5% by weight of one or more auxiliaries; and
- (e) 5 10% to 20% 15% by weight of water,

wherein said polyacrylate jointing compound is in paste form; the percent by weight being based on the weight of the jointing compound.

- 20. (Twice Amended) The polyacrylate jointing compound of claim 19 wherein (a) is at least one copolymer comprising 85 90% to 98% by weight of constitutional units provided by acrylate residues and 2% to 40% 8% by weight of constitutional units provided by acrylonitrile residues.
- 23. (Twice Amended) The polyacylate jointing compound of claim 19 comprising a copolymer comprising constitutional units provided by butyl acrylate residues and acrylonitrile residues.
- 24. (Amended) An improved method for joining a first substrate to a second substrate having a coefficient of thermal expansion or an elastic behavior which is different from that of the first substrate, the improvement comprising: using the polyacrylate jointing compound of claim 19 to join the first substrate and the second substrate
- 25. (Amended) A process for producing the polyacrylate jointing compound of claim 6 comprising:
- 1) forming a mixture of component (b) and component (a):
- 2) adding with mixing components (c) and (d) and (e) in any order; and
- 3) adjusting viscosity of the jointing compound if necessary, by addition of water.

